

AIRSPADE[®]

Welcome to the Next Generation



AirSpade Vac
Part Number: AVU16540



Sludge, spoils and slurries don't stand a chance! From the makers of AirSpade, the next generation AirSpade Vac is the cost-effective, mobile alternative to large, expensive vacuum excavation trucks. Engineered to be rugged and dependable, AirSpade Vac vacuums up to 2 cubic ft./min of dirt, sand, gravel, and muck. Safely uncovers underground utility lines, tree roots, or other buried facilities. Ideal for trenching, potholing, and keyholing applications.

Designed to run off a standard, 185 cfm tow-behind air compressor, AirSpade Vac boasts a tank capacity of 11 cubic ft. (82 gallons) and an extra-wide dump door to facilitate emptying spoils for backfilling. With no motors or moving parts to wear out, the powerful, multi-stage venturi vacuum engine is also detachable to provide ease of transport. Washable exhaust filter bag captures dust and eliminates need for internal air filter. Rugged 15" pneumatic tires provide superior maneuverability on the job site. Featuring all aluminum construction with heavy-duty rear rails, loading the AirSpade Vac onto the bed of a pickup truck is an easy task.



For more information contact info@airspade.com

AIRSPADE VAC FEATURES



| Part Number | Item Description |
|-------------|--|
| AVU16540 | AirSpade Vac 165 cfm with 4" Vacuum Hose |
| AV165EB | Replacement Exhaust Bag |
| AV165VA | Replacement Valve Assembly |
| AV165DG | Replacement Door Gasket |
| AV165EG | Replacement Engine Gasket |
| AV165LG | Replacement Lid Gasket |
| AVH4015LW | Replacement Lightweight Vacuum Hose |
| AVW4005 | Replacement Vacuum Wand |

| Specifications | |
|--------------------------|-------------------------|
| Inlet | 3/4" FNPT |
| Min. Compressor Required | 185 cfm |
| Noise Level | 99 dBA |
| Vacuum Flow | 750 cfm |
| Vacuum Lift | 262 in H ₂ O |
| Dimensions (L x W x H) | 79" x 38" x 61.5" |
| Weight | 218 lbs |